

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69	("370"/\$).ccls. and @ad<"20010307" and (optimal near (path rout\$3)) same hop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:59
S1	0	reinshmidt-mendel.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:49
S2	0	zur-Ithank.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:50
S3	2	(370/248).ccls. and internet and (edge adj1 router) and source adj1 rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:02
S4	5	(370/251-253).ccls. and internet and (edge adj1 router) and source adj1 rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:26
S5	8	(370/351-353).ccls. and internet and (edge adj1 router) and source adj1 rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:34
S6	43	(370/351-353).ccls. and internet and (edge adj1 router) and MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:56
S7	101	(370/235-238.1).ccls. and internet adj1 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:23
S8	13	("5175765"   "5371852"   "5671215"   "5883891"   "5928331"   "6058116"   "6154445"   "6170075"   "6195349"   "6307834").PN. OR ("6466574").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 07:37
S9	72	("4771425"   "5526353"   "5553063"   "5673265"   "5710756").PN. OR ("5883891").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 07:41

S10	136	(370/248).ccls. and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:57
S11	94	S10 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:02
S12	1566	("370"/\$).ccls. and internet same QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:26
S13	1	("370"/\$).ccls. and (internet and QOS).ti. and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:23
S14	648	("370"/\$).ccls. and @ad<"20010307" and internet same QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:38
S15	13	("370"/\$).ccls. and @ad<"20010307" and strict adj1 source adj1 rout\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:38
S16	17	S10 and test\$3 adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:44
S17	113	("370"/\$).ccls. and (test adj packet) same (loss rate delay throughput congest\$3) and (QOS class\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:19
S18	43	S17 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:12
S19	15	("370"/\$).ccls. and (test adj1 cell) same (loss rate delay throughput congest\$3) and (QOS class\$) and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:18

S20	5	("370"/\$).ccls. and (test adj1 frame) same (loss rate delay throughput congest\$3) and (QOS class\$) and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:18
S21	0	("370"/\$).ccls. and OAM same (test testing) near (loss rate delay throughput congest\$3) and (QOS class\$) and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:20
S22	8	("370"/\$).ccls. and OAM same (test testing) same (loss rate delay throughput congest\$3) and (QOS class\$) and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:20
S23	21	(370/248).ccls. and (test adj1 packet) and (loss rate delay throughput congest\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:50
S24	2	(370/248).ccls. and (test adj1 packet) and (OSPF shortest) and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:51
S25	4	(370/248).ccls. and (OSPF shortest) and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:51
S26	4	(370/248).ccls. and (OSPF (shortest adj1 path)) and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:39
S27	254	("370"/\$).ccls. and @ad<"20010307" and (OSPF (shortest adj1 path)) and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:53
S28	75	("370"/\$).ccls. and @ad<"20010307" and (OSPF (shortest adj1 path)) same QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:55
S29	55	("370"/\$).ccls. and @ad<"20010307" and (OSPF (shortest adj1 path)) and QOS and (load adj1 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:22

S30	48	("370"/\$).ccls. and @ad<"20010307" and QOS same (load adj1 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:58
S31	56	("370"/\$).ccls. and @ad<"20010307" and MPLS and load adj1 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:24
S32	24	("370"/\$).ccls. and @ad<"20010307" and (MPLS (edge adj1 router) (access point)) and (load adj1 balanc\$3) and (remov\$ near header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:28
S34	24	("370"/\$).ccls. and @ad<"20010307" and MPLS and (remov\$ near header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:29
S35	36	("5243342"   "5353283"   "5394402"   "5426637"   "5452294"   "5491692"   "5500860"   "5519704"   "5555256"   "5561669"   "5563878"   "5623492"   "5650993"   "5651002"   "5740375").PN. OR ("5991300").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 14:32
S36	0	(370/248).ccls. and QOS near path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:40
S37	0	(370/248).ccls. and @ad<"20010307" and QOS near (link path segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:40
S38	87	("370"/\$).ccls. and @ad<"20010307" and QOS near (link path segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:40
S39	1	("370"/\$).ccls. and source adj1 demand adj1 routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 09:37
S40	2	source adj1 demand adj1 routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 07:00

S41	3	((("6473405") or ("6275470"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 07:00
S42	94	("370"/\$).ccls. and (exterior adj1 gateway adj1 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 09:49
S43	23	S42 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 09:38
S45	707	("370"/\$).ccls. and @ad<"20010307" and internet and ISP same access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 09:49
S46	17	S45 and ( (border adj1 gateway adj1 protocol) (exterior adj1 gateway adj1 protocol) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 09:50
S47	6	("370"/\$).ccls. and @ad<"20010307" and internet and QOS near (load adj1 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:01
S48	0	("370"/\$).ccls. and @ad<"20010307" and internet and QOS near load adj1 distribut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:01
S49	0	("370"/\$).ccls. and @ad<"20010307" and QOS near load adj1 distribut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:04
S50	518	("370"/\$).ccls. and @ad<"20010307" and internet and load adj1 balancing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:04
S51	103	("370"/\$).ccls. and @ad<"20010307" and internet same (load adj1 balancing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:05

S52	0	("370"/\$).ccls. and @ad<"20010307" and internet same (QOS near distribut\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:06
S53	6	("370"/\$).ccls. and @ad<"20010307" and internet and (QOS near distribut\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:10
S54	0	("370"/\$).ccls. and @ad<"20010307" and (load adj1 balanc\$3) and proportional near (link line) near capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:11
S55	0	("370"/\$).ccls. and @ad<"20010307" and (load adj1 (balanc\$3 distribut\$)) and proportional near (link line connection) near (capacity through\$1put rate speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:13
S56	30	("370"/\$).ccls. and @ad<"20010307" and (load adj1 (balanc\$3 distribut\$)) same ((link line connection) near (capacity through\$1put rate speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:28
S57	130	("370"/\$).ccls. and @ad<"20010307" and ICMP same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:29
S58	62	("370"/\$).ccls. and @ad<"20010307" and ICMP same header same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:44
S59	176	("370"/\$).ccls. and @ad<"20010307" and tag near header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 13:47
S60	145	("370"/\$).ccls. and @rlad<"20010307" and (source adj1 routing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 12:35
S61	56	("370"/\$).ccls. and @rlad<"20010307" and (source adj1 routing) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 12:35

S62	0	("370"/\$).ccls. and @ad<"20010307" and (test adj1 packets) near (no not without) near (body payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 06:47
S63	0	("370"/\$).ccls. and @ad<"20010307" and (test adj1 (packet frame cell)) near (no not null without) near (body payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 06:48
S64	0	("370"/\$).ccls. and @ad<"20010307" and test\$3 near (packet frame cell) near (no not null without) near (body payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 06:48
S65	0	("370"/\$).ccls. and @ad<"20010307" and test\$3 near (packet frame cell) near (no not null without) near (body payload content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 06:49
S66	29	("370"/\$).ccls. and @ad<"20010307" and test\$3 near (packet frame cell) near (body payload content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:02
S67	23	("370"/\$).ccls. and @ad<"20010307" and test\$3 near (packet frame cell) near (no null empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:02
S68	0	("370"/\$).ccls. and @ad<"20010307" and test\$3 near (packet frame cell) near (no null empty) near (body content payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:03
S69	0	@ad<"20010307" and test\$3 near (packet frame cell) near (no null empty) near (body content payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:04
S70	42	@ad<"20010307" and test\$3 near (no null empty) near (body content payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:03
S71	0	@ad<"20010307" and test\$3 near (packet frame cell) near (no null empty lack) near (body content payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:04

S72	177	@ad<"20010307" and (packet frame cell) near (no null empty lack) near (body content payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:05
S73	2	("370"/\$).ccls. and @ad<"20010307" and (packet frame cell) near (no null empty lack) near (body content payload) same (test testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:11
S74	13	("370"/\$).ccls. and @ad<"20010307" and null near (packet frame cell) same (test testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:15
S75	72	(@ad<"20010307" and null near (packet frame cell) same (test testing) ) not S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 07:16